

Single Flute Holders



Standard Straight Neck Style
(For parallel thread applications.)



Tapered Neck "T" Style
(For tapered pipe thread applications.)

	Tool Description	EDP	D	D1	L	L1	Flutes	Screw	Insert
1	TMX 0075 - 45 - 14T*	1072120	0.75	0.450	3.39	1.000	1	T7 x M 2.5	14
	TMX 0075 - 50 - 14*	1072100	0.75	0.500	3.00	0.800	1	T7 x M 2.5	14
	TMX 0075 - 50 - 14HM*	1072101	0.75	0.500	3.35	1.000	1	T7 x M 2.5	14
	TMX 0075 - 54 - 14*	1072123	0.75	0.540	3.39	1.250	1	T7 x M 2.5	14
2	TMX 0075 - 54 - 14T*	1072121	0.75	0.540	3.39	1.250	1	T7 x M 2.5	14
	TMX 0075 - 57 - 14*	1072124	0.75	0.570	3.39	1.000	1	T7 x M 2.5	14
	TMX 0075 - 67 - 14*	1072102	0.75	0.670	3.39	1.180	1	T7 x M 2.5	14
3	TMX 0075 - 70 - 21T*	1072122	0.75	0.700	3.75	1.375	1	T20 x M 4	21
	TMX 0075 - 75 - 21**	1072104	0.75	0.750	3.75	1.575	1	T20 x M 4	21
	TMX 0075 - 88 - 21	1072115	0.75	0.880	3.75	1.575	1	T20 x M 4	21
	TMX 0100 - 114 - 30	1072107	1.00	1.140	4.37	1.968	1	T20 x M 5	30
	TMX 0150 - 173 - 40	1072112	1.50	1.730	6.00	3.070	1	T20 x M 5	40

* These tool styles do not have through hole coolant. ** Tool not recommended for 1" - 8 UN internal thread application.

1 For 3/8" - 18 NPT **2** For 1/2" - 14 NPT **3** For 3/4" - 14 NPT. For larger NPT threads, use straight neck styles.